

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	payload with coefficient\$ with ac	USPAT	OR	OFF	2005/04/04 14:34
L2	0	payload same ac same subband\$2	USPAT	OR	OFF	2005/04/04 14:34
L3	27	payload with subband\$2	USPAT	OR	OFF	2005/04/04 14:47
L4	5	chai-b\$3-b\$3.in.	USPAT	OR	OFF	2005/04/04 14:51
L5	14	sodagar-i\$3.in.	USPAT	OR	OFF	2005/04/04 14:51
L6	63	rogers-\$.in. and packet	USPAT	OR	OFF	2005/04/04 14:59
L7	8	(rogers-\$.in. and packet) and payload	USPAT	OR	OFF	2005/04/04 14:59
L8	0	(rogers-\$.in. and packet) and decompression	USPAT	OR	OFF	2005/04/04 14:59
L9	34	(rogers-\$.in. and packet) and header	USPAT	OR	OFF	2005/04/04 14:59
L10	162927	"ac"	USPAT	OR	OFF	2005/04/04 14:59
L11	37	(texture adj unit) and "ac"	USPAT	OR	OFF	2005/04/04 14:59
L12	33	(texture adj unit) and frequency	USPAT	OR	OFF	2005/04/04 14:59
L13	119	texture adj unit	USPAT	OR	OFF	2005/04/04 14:59
L14	162927	"ac"	USPAT	OR	OFF	2005/04/04 14:59
L15	37	(texture adj unit) and "ac"	USPAT	OR	OFF	2005/04/04 14:59
L16	66	texture adj unit	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:59
L17	3	(texture adj unit) and packet	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:59

L18	36	(payload and texture) and coefficients	USPAT	OR	OFF	2005/04/04 14:59
L19	122	payload and texture	USPAT	OR	OFF	2005/04/04 14:59
L20	1537	payload and coefficient\$	USPAT	OR	OFF	2005/04/04 14:59
L21	334	(payload and coefficient\$) and (high\$3 adj frequency)	USPAT	OR	OFF	2005/04/04 14:59
L22	202	(payload and coefficient\$) and ac	USPAT	OR	OFF	2005/04/04 14:59
L23	54775	ac and significant	USPAT	OR	OFF	2005/04/04 14:59
L24	2267	(ac and significant) and (payload or (data adj bit))	USPAT	OR	OFF	2005/04/04 14:59
L25	608	((ac and significant) and (payload or (data adj bit))) and packet	USPAT	OR	OFF	2005/04/04 14:59
L26	44	chai-b\$.in.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:59
L27	642	(bit adj stream) and dc and ac and coefficient\$2	USPAT	OR	OFF	2005/04/04 14:59
L28	435	((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001"	USPAT	OR	OFF	2005/04/04 14:59
L29	193	((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3	USPAT	OR	OFF	2005/04/04 14:59
L30	0	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and subband and hierach\$3 and (texture adj unit)	USPAT	OR	OFF	2005/04/04 14:59
L31	0	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and subband and hierach\$3	USPAT	OR	OFF	2005/04/04 14:59

L32	1	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and hierach\$3	USPAT	OR	OFF	2005/04/04 14:59
L33	1	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and texture	USPAT	OR	OFF	2005/04/04 14:59
L34	180	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and unit	USPAT	OR	OFF	2005/04/04 14:59
L35	15	(((((bit adj stream) and dc and ac and coefficient\$2) and @ad<"19981001") and packet\$3) and unit) and subband	USPAT	OR	OFF	2005/04/04 14:59
L36	1	"5563960".pn.	USPAT	OR	OFF	2005/04/04 14:59
L37	108	bitplane	USPAT	OR	OFF	2005/04/04 14:59
L38	59	payload same subband\$2	US-PGPU B; USPAT; EPO	OR	ON	2005/04/04 15:06
L39	154	payload same ac	US-PGPU B; USPAT; EPO	OR	ON	2005/04/04 15:30
L40	74	payload with ac	US-PGPU B; USPAT; EPO	OR	ON	2005/04/04 15:51
L41	111	payload with dc	US-PGPU B; USPAT; EPO	OR	ON	2005/04/04 15:06

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Mon, 4 Apr 2005, 4:19:22 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	(chai<in>au) <and> (bing<in>au) <and> (payload<in>metadata)	0
#2	(chai<in>au) <and> (bing<in>au)	12
#3	(karlsson<in>au) <and> (gunnar<in>au)	0
#4	((subband<in>metadata) <and> (payload<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998)	1
#5	((sodagar<in>au) <and> (iraj<in>au)) <and> (pyr >= 1950 <and> pyr <= 1998)	0
#6	((packetiz<in>metadata) <and> (subband<in>metadata) <and> (payload<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998)	0